


N


INDEX MAPS.

T.3N R.8W 2nd Mer.



Meandering 456-462

T.4N R.8W 2nd Mer.



Meandering 488

[] The figures on the lines refer to the page.

469

Township No. 4 North of Range No. 8 West of the 2nd Mer. Ind.

Ch. Lk.

South Boundary

West. On the South Boundary of Sec. 36. T. 4. N. R. 8 W.
 1.50 To a Pond 287 paces wide,
 22.00 Set a post on the Left Bank of White River from which,
 Runtram 6 in dia. trees N 53 E. 23 links dist. &c,
 Do. 8 " " " S 70 E. 18 " "
 40.00 Offset round a bend in W River; the $\frac{1}{4}$ Sec cor. falling
 upon or near a Pawtuck point on the opposite side.
 the post was not set.
 57.22 - Came into our line.
 80.00 Set a post for the cor. of Sec. 35 & 36. from which,
 13 Walnut 48 in dia. trees S 21 E. 10 links dist. &c,
 Hackberry 12 " " N 80 E 30 " "
 Sand now bottom; Timber Sugar, Sycamore & B Walnut.

West. On the South Boundary of Sec. 35 T. 4. N. R. 8 W.
 2.60 To a Hackberry 12 in dia. in the line.
 9.40 Strike the Left Bank of W River. 600 paces, Corner on
 3 maps. 10 in dia. each.
 36.60 To a W Oak. 30 in dia. in the line.
 59.50 " " Sugar. 12 " " " "
 80.00 Set a post for the cor. of Sec. 34 & 35 from which,
 Sugar. 14 in dia. trees. S 40 E. 16 links dist. &c,
 Do. 11 " " " S 50 W 36 " "
 Hardwood Sand; Timber Sugar, Walnut & Poplar.

West. On the South Boundary of Sec. 34. T. 4. N. R. 8 W.
 38.33 To a B Gum. 10 in dia. stands in the line.
 60.00 " " W Oak. 18 " " " "
 80.00 Set a post for the cor. of Sec. 33 & 34 from which,
 Post Oak 11 in dia. trees. S 68 E. 20 links dist. &c,
 W Oak. 13 " " East 33 " "
 Sand thin; A few. Scattering Red & W Oaks.
 A part of this mile lies in the Donation Tract.

East Boundary.

12 No. 5-8 Camp?

North	On the East Boundary of Sec. 36. T. 4. N.R. 8 W.
1.50	To a Pond 5 ch & 8 links into, coming out of Jackson R.
6.58	" " Red Oak 24 in diam. Stand in the line.
40.00	Set up a post from which Red Oak 24 in diam. trees. S 8 E. 13 links with; & a Maple 14 " " " N 19 E. 17 " "
68.00	To a Hackberry 14 in diam. in the line.
80.00	Set a post for the cor. of Sec. 36 & 25 from which Elm. 24 in diam. trees. N 65 W. 42 links with; & a Hackberry 10 " " " S 53 W. 27 " " Sands with B. Walnut, Bottoms. Join to Hackberry & Syc- amore.
North	On the East Boundary of Sec. 25. T. 4. N.R. 8 W.
18.80	To a Hackberry 24 in diam. Stand in the line.
32.50	" " Oak. 100 links into, corner W.
40.00	Set up a post from which Red Oak 30 in diam. trees. N 18 E. 18 links with; & a Box Elm. 8 " " " N 54 W. 54 " "
49.64	Line cut into River; Offset East 20 ch & come into our line
67.40	Come into our line again
80.00	Set a post for the cor. of Sec. 24 & 25 from which Sycamore 30 in diam. trees. S 12 W. 43 links with; & a Elm. 12 " " " N 27 W. 14 " " Sands broken; Join to B. Walnut & Cottonwoods.
North	On the East Boundary of Sec. 24. T. 4. N.R. 8 W.
5.50	To a Sycamore 60 in diam. in the line.
40.00	Set up a post from which Hackberry 6 in diam. trees. N 86 W. 17 links with; & a Hackberry 12 " " " S 43 W. 33 " "
64.50	To a Hackberry 17 in diam. Stand in the line.
80.00	Set a post for the cor. of Sec. 13 & 24 from which Hackberry 30 in diam. trees. N 52 W. 21 links with; & a Syc. 14 " " " S 11 W. 28 " "

471

T. N. 4. N. R. N. 8 W. 2nd Mer. Ind. A.

Rich spin bush bottom. Timber B Walnut.

North
40.00 On the East Boundary of Sec. 13. T. 4. N. R. 8 W
Set a post from which
W Oak. 14 in. dia. beam. S 8 E 30 links curb; & a
Elm, — " " S 46 E 39 " "
45.30 Set a post on the Left Bank of White River from which
Maple. 8 in. dia. beam. S 69 E 14 links curb; & a
W Oak. 12 " " " S 22 W 32 " "
Lands rich spin bush bottom.
The mark of N R river here was. 550 links wide.

North
On the East Boundary of Sec. 14. T. 4. N. R. 8 W.
From the cor of Sec. 12 & 13. Continued North 10. Ch.
to the River. the line then following up in the river. & on
the Opposite bank, Continued ch by Offsets & came into
it again On the West side of the River at. 160 ch. &
Established the post cor of Towns 4 & 5 N. R. 7 & 8 W.
from which, Set a 24 in. dia. beam. North 60 links curb
and a Sycamore 40 " " " S 55 W 150 " "
Corner marked on a Maple. in a bayou. 50 links
from the River; Tree 16 in dia.

South Boundary

West
12.88 On the South Boundary of Sec. 36. T. 5. N. R. 8 W
To a Cottonwood 36 in dia. in the line.
53.80 " " W Oak. 30 " " " " "
80.00 Set a post for the cor of Sec. 35 & 36. from which
Hick 12 in. dia. beam. S 20 E 65 links curb; & a
H. 9 " " " S 45 W 69 " "
Lands R. 7 mile Rich bottom. A number of Indian
houses near the line. Timber Oak, Sugar, Oak &c.

West
58.00 On the South Boundary of Sec. 35. T. 5. N. R. 8 W
To a W Oak. Standing on the Edge of a Pond. 51 ch. wide
80.00 Corner for Sec. 34 & 35. Fell in the pond & was not established

T. 4. N. R. 8 West. 2nd Mer. Ind.

On upland; Main growth of Oak. Timber in pond
no true standing.

West On the South Boundary of sec. 34. T. 5 N. R. 8 W.
13.00 Log came out of the Pond onto upland.
80.00 Set a post for the cor. of sec. 33 & 34 from which
P. Oak. 12 in dia? huns. S 83 W. 35 links arch; & a
Do. 36 " " " North 35 " "
Sandy high prairie; thinly timbered with short post. Oak

West On the South Boundary of sec. 33. T. 5 N. R. 8 W.
10.00 To a Post Oak. 24 in dia? in the line.
66.20 " " Hickory 94 " " " "
80.00 Set a post for the cor. of sec. 32 & 33 from which
P. Oak. 20 in dia? huns. N 76 E. 80 links arch; & a
Do. 8 " " " N 33 E. 65 " "
Sandy and timber same as last described.

West On the South Boundary of sec. 32. T. 5 N. R. 8 W.
67.70 To a W. Oak. 20 in dia? stands in the line.
Here also a few springs breaking out of the ground
80.00 Set a post for the cor. of sec. 31 & 32 from which
W. Oak. 12 in dia? huns. N 33 W. 23 links arch; & a
Do. 24 " " " N 9 W 38 " "
Sandy & 7 mile swamp prairie; 2 mi & 7 mile a
Grove of Sugar Trees.

West On the South Boundary of sec. 31. T. 5 N. R. 8 W.
6.00 To a W. Oak. 18 in dia? in the line.
64.40 " Brook 10 links wide, crosses N.
80.75 Thick post. cor. of Toms. 4 & 5 N. R. 8 & 9
High prairie land. A few W. Oaks.
Township. Random line fell 3 ch in the night.

West Boundary
North On the East Boundary of sec. 10. T. 4 N. R. 9 W.

14.00	To y Post Oak 12 in dia. It stands in the line.
80.00	Set a post for the cor of sec. 1 & 12 from which a W Oak. 12 in. dia. bears N 32 W. 66 links dish; & a, W Oak. 20 " " " N 51 E. 64 " " Sand & black soil. Heavily timbered with Post Oaks
North	On the East Boundary of sec. 1. T. 4. N. R. 9 W.
6.00	To a small Drain affording water 5 links wide.
21.80	To a Post Oak 12 in dia in the line.
44.18	" " W. 10. 30 " " " " "
80.00	Set a post cor of T. 4 & 5. St. N. 8 & 9 W from which a Hack 12 in dia bears S 75 E 55 links dish; & a, " 10 " " " S 38 W. 56 " " Sand on a timber same as last mile.
South	On the East side of sec. 12 T. 4. N. R. 9 W.
40.87	To Donation Lin. from which a Hack 10 in dia bears N 53 E 34 links dish; & a, W Oak. 18 " " " S 78 W 97 " " Oak Land.
Subdivisions	
North	Between Sec. 35 & 36. T. 4. N. R. 8 W This line is not to be found in the field notes
West	Between Sec. 25 & 36. T. 4. N. R. 8 W
550.	To the Left Bank of W River near cor. of W. River Sec. 25 & 36. on an Elm 12 in dia.
West	Between Sec. 25 & 36. River Bank and set a post on Bank of River for the cor of sec. 25 & 36. from which a Maple 14 in dia. bears N 25 E 13 links dish; & a, " 6 " " " S 39 W. 23 " " From this post to pond. 22.00 ch. Ground rich bottom Timber Walnut & s

East	Between Secs 35 & 36. T. 4. N. R. 8 W.
3.75	To a Pond. Angle 9 degrees.
North	Between Secs 25 & 26 T. 4. N. R. 8 W.
25.22	To a B. Oak. 48 in dia. stands in the line.
30.89	" " Poplar 40 " " " " "
40.00	Set a post from which Kick 17 - in dia. trees. N 21 E. 18 links north, 100 ft. Elm. 18 " " " S 12 E 44 " "
49.40	To a Walnut 48 in dia. stands in the line.
65.82	" " Kick 18 " " " " "
80.00	Set a post for the cor. of sec. 23, 24, 25 & 26 from which * Oak. 28 in dia. trees. S 18 W 39 links north, 100 ft. Low rich bottom land; Timber Walnut Sugar &c. undergrowth Spice &c. * Gum 48 N 85 E. 57 links dist.
West	Between Secs 24 & 25 T. 4. N. R. 8 W.
12.08	To the Left Bank of White River; Made corner on a Maple, 10 in dia.
East	Between Secs 24 & 25 T. 4. N. R. 8 W.
30.00	To the River and set a post for the cor. of sec. 24 & 25 from which, 10 Walnut. 18 in dia. trees. S 64 W. 55 links north, 100 ft. Elm. 12 " " " N 45 W 40 " "
	Land same as above
West	Between Secs 24 & 25. T. 4. N. R. 8 W.
43.15	Land rich; & River cor. of River 5 p. deep 50 ft. Set a post on the West Bank from which a W Oak. 48 in dia. trees. N 34 E. 28 links north, 100 ft. Hoop Ash 18 " " " S 81 W. 18 " "
	From River to River 13 ch. A Water Beech 4 in dia. on the River Bank.
North	Between Secs 23 & 24 T. 4. N. R. 8 W.
9.28	To a Ash 18 in dia. stands in the line
40.00	Set a post from which

475

T. No. 4. N.R. No. 877 2nd Men. Sud.

Kick 15 in dirt bank. S 45 W. 9 links out; & a,
 New tree 10. " " S 82 E. 24 " "
 42.82 To a B Walnut. 24 in dirt. Stands in the line.
 66.42 " " " " " " " " " "
 80.00 Set a post for the cor of sec. 28. S 24 from which a,
 Kick 10 in dirt bank. N 66 W. 4 links out; & a,
 Elm. 10 " " " " N 37 E. 14 " "
 Over good bottom lands.

East Return Sur. 13 & 24. T. 4. N.R. 877
 3.00 To the River Right Bank. an Elm 5 in stands for the cor.
 West Return Sur. 13 & 24. T. 4. N.R. 877.
 28.00 To a Hackberry 10 in dirt in the line.
 40.00 Set a post from which a,
 Kick 18 in dirt bank. S 14 W. 24 links out; & a,
 W Oak. 14 " " " S 13 E. 35 " "
 69.00 To the Left Bank of W. River cornered on a W Oak
 18 in dirt. Sand bottom; Join to W Walnut, Henry
 To cut Cotton wood.

North Return Sur. 13 & 14. T. 4. N.R. 877
 19.10 To a B Walnut. 36 in dirt in the line.
 32.28 " " Kick 12 " " " "
 40.00 Set a post from which a,
 Kick 8 in dirt bank. N 89 E. 43 links out; & a,
 Kick 18 " " " N 73 W. 6 " "
 47.14 To a Hickory 18 in dirt in the line.
 80.00 Set a post for the cor of sec. 11. 12 13 & 14 from which a,
 W Oak. 15 in dirt bank. N 78 E. 47 links out; & a,
 Elm 18 " " " S 76 W. 36 " "
 Sand & 1/2 mile bottom; Set 1/2 mile rate of land.
 Join to Hickory Drives &

East Return Sur. 12 & 13. T. 4. N.R. 877.
 33.63 To a Dead Oak at the Edge of River bottom
 40.00 Set a post from which a,

T. N. 4. A.R. N. 8 W. 2nd New Ind.

	W Oak. 24 in. dia: head N 57 E. 75 links dist: Va	
	Ash. 18 " " " S 23 E. 46 " "	
49.00	To an Ash. 30 in dia: stands in the line.	
75.00	Intersect the East Boundary and set a post for the cor. of Sec. 12 & 13. from which on	
	Ash. 15 in dia: head. E 38 7/13 links dist. Va	see
	W Oak. 18 " " " N 26 W. 22 " "	
	Land R. 2 nd rate Oak land, East 1/2 low bottom	
<hr/>		
South	On the Range line East Boundary of Sec. 13.	
27.00	To River Bank.	
<hr/>		
North	Between Sec. 11 & 12 T. 4. N. R. 8 W	
4.43	To a Spruce 12 in. dia: stands in the line	
25.04	" " W Oak. 12 " " " " "	
40.00	Set a post from which on	
	W Oak. 14 in dia: head N 70 E. 12 links dist: Va	
	Ash 15 " " " N 60 W 71 " "	
40.88	To a W Oak. 14 in. dia: stands in the line.	
58.71	To an Elm 24 in dia: in the line. in a prairie 80 yds	
	Large to the left hand; i.e. Prairie	
80.00	Set a post for the cor of Sec. 1. 2. 11 & 12 from which on	
	Hick 10 in dia: head. N 15 W 77 links dist: Va	
	W Oak. 30 " " " S 50 E. 70 " "	
	Land 2 nd rate Timber Oak.	
<hr/>		
East	Between Sec. 1 & 2 T. 4. N. R. 8 W	
22.15	To a W Oak 24 in dia: stands in the line.	
40.00	Set a post from which on	
	Hick 15 in dia: head. N 70 W 32 links dist: Va	
	W Oak + " " " S 85 W. 15 " "	
59.00	Made by Sec. 1 & 2 on a Sycamore 24 in dia	
	On the Right Bank of White River	
	Land for farming.	
<hr/>		
North	Between Sec. 1 & 2 T. 4. N. R. 8 W	

477

T. N. 4. N. R. N. 8 W. 2nd Mer Ind.

1.21 To a Dead Oak in the line.
 9.70 " B. Oak 24 in dia. stands in the line.
 40.00 Set a p. support from which
 Hick 6 in dia. bears S 60 E. 44 links dist. & a
 Do. 5 " " S 83 W. 22 " "
 52.71 To a B. Oak 28 in dia. in the line.
 73.00 entered the N. Boundary of Township and found no
 post; set a post for the cor. of sec. 1 & 2 from which
 B. Oak 24 in dia. bears S 35 E. 66 links dist. & a
 Oak 22 " " S 87 W. 50 " "
 found 2nd rate timber Oak.

North Between Sec. 34 & 35. T. 4. N. R. 8 W.
 6.64 To an Elm 8 in dia. stands in the line.
 40.00 Set a p. support from which an
 Elm 8 in dia. bears N 78 E. 21 links dist. & a
 B. Walnut 24 " " N 72 W. 12 " "
 51.90 To a W. Oak 30 in dia. in the line.
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which
 W. Oak 20 in dia. bears N 58 E. 59 links dist. & a
 Gum 18 " " S 47 W. 56 " "
 found B. p. white oak; set p. good Oak land.

East Between Sec. 26 & 35 T. 4. N. R. 8 W.
 11.00 To River bottom; about 50 links up, corner of
 24.85 " a W. Oak 60 in dia. stands in the line.
 40.00 Set a p. support from which an
 Ash 14 in dia. bears S 88 W. 15 links dist. & a
 Sycamore 12 " " S 11 W. 32 " "
 50.70 To a Hick 28 in dia. in the line.
 80.00 Set a post for the cor. of sec. 25, 26, 35 & 36 from which
 Hick 14 in dia. bears S 26 W. 17 links dist. & a
 W. Oak 18 " " N 71 E. 29 " "
 this line is over low bottom

North Between Sec. 26 & 27 T. 4. N. R. 8 W.

T. N. 4. N.R. N. 8 W. 2nd Mer. Ind.

50.34	To a Hickory 8 in. dia. Stands in the line.
9.98	" " Elm. 12 " " " "
40.00	Set a 1/4 section post from which a
	N. Oak. 15 in. dia. bears N 44 W. 17 links dist. Va.
	Do. 10 " " " S 85 E. 36 " "
43.00	To a B. Elm 18 in. dia. in the line
53.50	To the bed of a stream 50 links out, course S. E.
80.00	Set a post for the cor of Ls. 22, 23, 26 & 27 from which a
	Hickory 18 in. dia. bears N 55 W. 20 links dist. Va.
	Do. 10 " " " S 51 E. 18 " "
	Own good farming land; Timber Oak, Sugar, &c.
West	On a Random line between Ls. 23 & 26. T. 4. N.R. 8 W
40.00	Set a temporary 1/4 section post
75.61	To a Hickory 20 in. dia. Stands in the line.
79.54	Intersect the N & S line at the post cor of Ls. 23, 22 & 27
	Own good bottom land a few 70 ch. Timber Walnut, Sycamore.
East	On the true line between Ls. 23 & 26. T. 4. N.R. 8 W
39.84	Set the temporary post at the ar. dist. on the true line from
	which a Elm. 18 in. dia. bears N 44 W. 10 links dist;
	under Ls. 10 " " " S 50 W 9 " "
79.54	To the post cor of Ls. 23, 24, 25 & 26.
North	Between Ls. 22 & 23 T. 4. N.R. 8 W
5.47	To a Hickory 9 in. dia. Stands in the line.
16.84	" " Do. " " " " " "
40.00	Set a 1/4 section post from which a
	B. Walnut 18 in. dia. bears S 51 W. 20 links dist; Va.
	Poplar. 18 " " " S 8 E. 36 " "
49.71	To a Hickory or Locust 16 in. dia. in the line.
80.00	Set a post for the cor of Ls. 14, 15, 22 & 23 from which a
	B. Oak. 12 in. dia. bears N 54 W. 15 links dist; Va.
	Ash. 18 " " " S 59 E. 43 " "
	Own 2nd rate land; Timber Oak &c.

479

T. N. 4. N. R. N. 8 W. 2nd (Mn. Ind.)

East OnaKandam line between Sec. 14 & 23 T. 4. N. R. 8 W.
 40.00 Set a temp. 7th in support
 79.50 Enter cut the N 48 line 41 links South of the post of the
 1st cor of sec. 13. 14. 23 & 24
 Land level bottom; Timber Walnut; A / Spruce.

West OnaKandam line between Sec. 14 & 23 T. 4. N. R. 8 W.
 39.75 Set the temp. 7th in support at the av. dish on the true line from
 which, N 48 E 8 in. dist. bears S 41 W 19 links dish; & a
 Sec. 12, " " N 53 W 11 " "
 79.50 To the post cor of sec. 14 15, 22 & 23.

North Between Sec. 14 & 15 T. 4. N. R. 8 W.
 8.00 To a Pond 12 ch. wide,
 28.40 " " N 3 Oak. 18 in. dist. stands in the line.
 40.00 Set a 1st support from which,
 N 3 Oak. 10 in. dist. bears S 38 E 14 links dish; & a
 Elm. 6 " " " S 84 E 9 " "
 49.78 To a 13 Oak 18 in. dist. stands in the line.
 52.50 To a Pond 15 ch. wide,
 80.00 Set a post for the cor. of sec. 10. 11. 14 & 15 from which,
 N 3 Oak. 14 in. dist. bears N 32 E 73 links dish; & a
 Spruce. 16 " " " S 31 W 44 " "
 Land Swampy; Timber Elm, & Ash. &c.

East OnaKandam line between Sec. 11 & 14 T. 4. N. R. 8 W.
 6.00 To a swamp. 500 links wide.
 40.00 Set a temp. 7th post for the cor. of 1/4 sec.
 79.25 Intersect the N 63 line 14 links South of the post cor
 of sec. 11. 12. 13 & 14
 Own good farming land.

West OnaKandam line between Sec. 11 & 14 T. 4. N. R. 8 W.
 39.62⁷ Set the temp. 7th in support at the av. dish on the true line from
 which, N 63 E 18 in. dist. bears N 69 E 30 links dish; & a
 Sec. 1 " " " S 67 E 55 " "

T. N. 4. N. R. N. 87. 2nd Mer. Sec.

79.25	To the post cor. of Sec. 10. 11. 14 & 15.
North	Between Sec. 10 & 11 T. 4. N. R. 87.
20.00	To a swamp 300 th wide.
25.00	" " 7 th Oak. 6 in dia. in the line.
38.00	To a Pond 400 links wide, large to Right hand.
40.00	Set a post from which Sum. 15 in dia. bears N 77 th 178 links west & N 13 Oak. 24 " " N 107 th 126 " "
48.83	To a B. Oak. 30 in dia. in the line.
60.00	To swampy land.
74.00	To Cattail Swamp.
80.00	Set a post for the cor. of Sec. 2, 3, 10, & 11 of a field. Own 2 nd rate Oak land.
West	Between Sec. 2 & 11. T. 4. N. R. 87.
36.70	To an Oak. 18 in dia. Stands in the line.
38.00	To a swamp. Own good farming land. The remainder of the line wanting
North	Between Sec. 2 & 3. T. 4. N. R. 87.
40.00	The cor. to 7 th to in a pond; could go no farther. Remainder wanting
South	Between Sec. 33 & 34 T. 4. N. R. 87.
10.28	To a W Oak. 18 in dia. Stands in the line.
15.37	Set a post for the cor. of Sec. 33 & 34 on Donation line from which Sum. 8 in dia. bears N 30 th E 19 links west & N No. 14 " " N 127 th 30 " "
	Same as before.
West	Between Sec. 27 & 34.
14.00	To a Sum. 15 in dia. in the line
22.00	" " Do. 15 " " " "
40.00	Set a post from which Kicks 12 in dia. bears S 30 th E 22 links west & N

481

T. R. A. N. R. N. 87. 2nd Mer. Ind.

37.78	Wyching 18 in dia: bears N54 W. 26 links dish;
80.00	To an Elm 18 in dia: stands in the line.
	Set a post for the cor of sec. 27, 28 33 & 34 from which,
	N Oak 30 in dia: bears N64 E. 75 links dish; & a
	W Oak 18 " " " N76 W. 52 " "

North	Between Sec. 27 & 28 T. 4. N. R. 87.
	To a Elm 18 in dia: in the line.
40.00	Set a post from which
	W Oak 14 in dia: bears S32 E. 30 links dish; & a
	Do. 12 " " " S62 W. 18 " "
32.40	To a B. Oak 30 in dia: stands in the line.
78.00	To the bed of a stream 50 links wide, course S. E.
80.00	Made the cor of sec. 21, 22, 27 & 28 on a Money Locust 30 in dia:

East	Quakamam line between Sec. 22 & 27 T. 4. N. R. 87.
12.00	To a Creek; did not cross.
21.50	Crossed the Creek.
40.00	Set a tripit for fork
41.00	Creek goes south.
79.65	Intersect the N. S. line at the Post cor of sec. 22, 23, 26 & 27. Cov. Good farming land.

West	On the true line between Sec. 22 & 27 T. 4. N. R. 87.
39.82 1/2	Set the tripit for a post at the an. dish on the true line from which an Elm 22 in dia: bears S34 W. 21 links dish; & a
	Sassafras 6 " " " N74 E. 32 " "
79.65	To the post cor of sec. 21, 22, 27 & 28.

North	Between Sec. 21 & 22 T. 4. N. R. 87 Saturday Nov. 14. 1909
2.68	To a B. Oak 30 in dia: stands in the line.
10.10	" Do. 20 " " " " "
32.60	To a W Oak 20 in dia: in the line in the edge of the prairie
40.00	Set a post from which
	20 in dia: bears S27 W. 311 links dish

T. H. N. R. N. 8 W 2nd Mer. Ind.

6 th Ink 80.00	Set a post for the cor of Sec. 15, 16, 21 & 22 in a prairie. Good land.
East 20.00 40.00 50.00 78.60	On a Random line between Sec. 15 & 22 T. 4. N. R. 8 W. To Woodland Set a temporary post To a Prairie 9.00 ch. wide Intersect the N & S line 20 links South of the post cor of Sec. 14, 15, 22 & 23. Own 2 nd rate prairie land.
West 39.30 78.60	On the true line between Sec. 15 & 22 T. 4. N. R. 8 W. Set the temporary post from which a W Oak 18 in dia: bend N 33 E. 86 links out; & a Do. 15 " " S 57 W. 47 " " To the post cor of Sec. 15, 16, 21 & 22.
North 23.00 26.28 40.00 43.00 80.00	Between Sec. 15 & 16. T. 4. N. R. 8 W. Nov. 5 th 1809. To the woods To a Hickory 18 in dia: stand in the woods. Set a post for the cor of 74 sec. from which a Hickory 18 in dia: bend S 56 E. 35 links out; & a Do. 28 " " N 10 W. 13 " " To the prairie Set a post for the cor of Sec. 9, 10, 15 & 16. from which a Elm. 30 in dia: bend S 12 E. 45.4 links out; The above post in prairie. Land good for farming.
East 40.00 51.00 79.20	On a Random line between Sec. 10 & 15 T. 4. N. R. 8 W. Set a temporary post in prairie To Woodland Intersect the N & S line 20 links North of the post cor of Sec. 10, 11, 14 & 15
West 39.60	On the true line between Sec. 10 & 15. T. 4. N. R. 8 W. Set the temporary post at an. dish in the true line.

79.20	To the post cor. of Sec. 9, 10, 15 & 16. Own good land.
North	Between Sec. 9 & 10. T. 4. N. R. 8 W.
12.15	To an Elm. 10 in dia. stands in the line.
26.53	To a Hick. 18 " " " " " "
35.00	To a Pond or marsh.
40.00	The 1/4 Sec. cor. in the pond.
80.50	The cor. to Sec. 3, 4, 9 & 10. in the pond.
	Land marsh.
East	Between Sec. 3 & 10 T. 4. N. R. 8 W.
	All Swamp or marsh.
South	Between Sec. 3 & 4. T. 4. N. R. 8 W.
	Friday Nov. 10. 1807.
	Set a post in the N. Boundary 400 links East of the cor. to Sec. 33 & 34. T. 5 N. R. 8 W. from which,
	36 in dia. hand. N. E. 13 links dist. & a W. Oak. 18 " " " N. E. W. 174 " "
32.00	A B. Oak 36 in dia. stands at further cor. of 1/4 Sec.
60.00	To Swamp; Own 2 nd rate Oak land.
South	On Section line between Sec. 20 & 21 T. 4. N. R. 8 W.
26.03	To a W. Oak. 20 in dia. stands in the line
36.00	To Prairie
40.00	Set a post in Prairie from which, W. Oak. 20 in dia. hand. N. 79 W. 307 links dist.
	Stand on the creek 7 ch.
48.54	To a Hick. 30 in. dia. stands in the line; Groves of timber On the creek 7 ch.
50.00	To a Oak 40 in dia, corner E.
77.60	To Donation line and set a post for the cor. of Sec. 20 & 21 from which a Hick. 30 in. dia. hand. N. 70 W. 97 links dist. and a W. Oak 10 " " " N. 77 W. 125 " "
	Land 2 nd rate Prairie

T. N. H. N. R. N. 8th 2nd Min. Land.

West	Between Sec. 16 & 21. T. 4. N. R. 8 th
17.00	To Woods
22.07	To a Hickory 18 in. diam. Stands in the trees.
25.00	To a Prairie 1000 yds.
40.00	Set a 1/4 section post from which a Hickory 18 in. diam. bears S 26 W. 9 miles due; & a W Oak 18 " " " N 54 W 13 " "
45.88	To a W Oak 18 in. diam. Stands in the trees.
64.88	To a Hickory 20 " " " " " "
80.00	Set a post for the cor. of sec. 16, 17, 20 & 21 from which a W Oak 18 in. diam. bears S 57 W 76 miles due; & a Hickory 16 " " " S 27 E 54 " "
	Good farming land. Timber Oak & S.
North	Between Sec. 16 & 17. T. 4. N. R. 8 th
5.00	To a Hickory or W- 18 in. diam. in the trees.
40.00	Set a 1/4 section post from which a W Oak 14 in. diam. bears N 25 W. 33 miles due; & a Do. 28 " " " S 34 E. 8 " "
54.43	To a W Oak 24 in. diam. in the trees.
80.00	Set a post for the cor. of sec. 8, 9, 16 & 17 from which a W Oak 15 in. diam. bears S 5 E. 84 miles due; & a W Oak 18 " " " N 9 E. 119 " "
	Land 2 nd rate Timber Oak.
East	On a Random line between Sec. 9 & 16. T. 4. N. R. 8 th
37.00	To Prairie
40.00	Set a timber 1/4 section post in prairie
79.87	Intersect the N & S line 20 miles south of the post cor. of sec. 9, 10, 15 & 16. Land prairie
West	On the true line between Sec. 9 & 16. T. 4. N. R. 8 th
399.37	Set the timber 1/4 section post at the ar. ditch on the true line in the prairie.
79.87	To the post cor. of sec. 8, 9, 16 & 17.

485

T. N. H. N. R. N. 8 N. 2nd (Mv. End.)

North Return Sec. 8 & 9 T. 4. N. R. 8 W.
 23.39 To a W Oak 18 in dia: Stands in the line.
 40.00 Set a 1/4 sup post from which
 W Oak 26 in dia: bears N 80 E. 10 links north & a
 do 24 " " " S 62 W 81 " "
 46.86 To a W Oak 20 in dia: Stands in the line.
 70.00 To Prairie
 80.00 Set a post for the cor of sec. 4, 5, 8 & 9 from which age
 then 36 in dia: bears N 69 E. 130 links north & a
 W Oak 30 " " " N 28 E. 177 " "
 Land 2nd rate; Timber Oak.

East Return Sec. 4 & 9 T. 4. N. R. 8 W Nov. 7th 1889.
 17.79 To a W Oak 18 in dia: Stands in the line. do north
 37.24 To a W Oak 24 in dia: Stands in the line.
 40.00 Set a 1/4 sup post from which
 W Oak 18 in dia: bears S 72 E. 65 links north & a
 W Oak 20 " " " N 87 W. 17 " "
 45.00 To a Large Swamp; 2nd rate Oak land.

North Return Sec. 4 & 5 T. 4. N. R. 8 W
 20.00 To a Grove of Timber 65 ch. wide.
 40.00 Set a 1/4 sup. post from which
 W Oak 30 in dia: bears S 15 W. 2.73 links north;
 Prairie at the 1/4 sup post 33 ch wide.
 71.00 Intersect the N Boundary 450 links East of the post
 cor of sec. 32 & 33 T. 5 N. R. 8 W and set a post for the cor of
 sec. 4 & 5 from which
 W Oak 18 in dia: bears S 7 E. 127 links north & a
 do. 15 " " " S 41 W 121 " "
 Land 2nd rate Timber Oak. 15.

West Return Sec. 17 & 20 T. 4. N. R. 8 W.
 10.00 To Prairie 900 links wide,
 19.00 To a Hickory 8 in dia: Stands in the line.
 40.00 Set a 1/4 sup post from which

T. H. H. N. R. N. 877 2nd Mn. Ind.

46.48 To a B. Oak 14 in. diam. bears N 10 E 118 links each; & a
 77 Oak 20 " " " S 44 W 173 " "
 63.00 To a Donation line and set apart for the cor of Sec.
 17 & 20 from which,
 Hickory 15 in. diam. bears N 65 W 266 links each; & a
 73 Oak 24 " " " S 77 E 306 " "
 Land 2nd rate; Timber Oak; East 1/2 prairie

Truth Between Sec. 17 & 18 T. H. N. R. 877
 1.47 To a W Oak 24 in. diam. stands in the line.
 28.21 " " Hackberry 18 " " " " "
 40.00 Set apart for post from which,
 W Oak 14 in. diam. bears N 50 E 50 links each; & a
 Do. 18 " " " S 27 W 67 " "
 45.00 To Prairie.
 59.71 Set apart on Donation line for the cor of Sec. 17 & 18 from
 which, W Oak 13 in. diam. bears S 52 W 145 links each;
 under Do. 12 " " " S 11 E 116 " "
 Land 2nd rate Timber Oak.

West Between Sec. 8 & 17 T. H. N. R. 877.
 8.70 To a W Oak 18 in. diam. stands in the line.
 37.97 To a Do. 28 " " " " "
 40.00 Set apart for post from which,
 W Oak 8 in. diam. bears S 55 W 37 links each; & a
 Do. 14 " " " N 28 W 61 " "
 43.65 To a W Oak 14 in. diam. in the line.
 62.47 " " Do. 24 " " " " "
 80.00 Set apart for the cor of Sec. 7, 8, 17 & 18 from which,
 W Oak 15 in. diam. bears N 29 W 123 links each; & a
 73 Oak 20 " " " S 67 E 87 " "
 Land 2nd rate Timber Oak

West Between Sec. 7 & 18 T. H. N. R. 877
 22.70 To a W Oak 15 in. diam. stands in the line.

40.00	Set a 1/2 supert from which a W Oak 14 in air bears N54 E. 109 links arb; tag Wk 30 " " " N89 W 355 " "
49.00	Set a post on location line for the cor of sec. 7 & 18 from which a W Oak 30 in air bears S77 E 21 links arb; tag W Oak 20 " " " N47 E 70 " " Lands 2nd rate Timber Oak.
North	Return Sec. 7 & 8 T. 4. N.R. 87W
21.00	Set a W Oak 15 in air stands in the line
40.00	Set a 1/2 supert from which a W Oak 30 in air bears N62 W. 136 links arb; tag Wk 28 " " " S86 E. 53 " "
60.23	Set a W Oak 20 in air in the line.
80.00	Set a post for the cor of sec. 5, 6, 7 & 8. from which a W Oak 30 in air bears S36 W 97 links arb; tag Wk 18 " " " N40 E 64 " " Oak land and brassy; Monday Nov. 6th 1809.
East	On a Random line between Sec. 5 & 8. T. 4. N.R. 87W
40.00	Set a temp 1/4 supert
55.00	Set a Rain
79.75	Between the N 5/8 line 20 links South of the post cor of sec. 4, 5, 8 & 9 Lands 2nd rate Timber Oak. Land a grassy
West	On the line between Sec. 5 & 8. T. 4. N.R. 87W
39.87p	Set the temp 1/4 supert at the ar. arb, on the line from which a W Oak 20 in air bears N46 W. 14 links arb; tag a W Oak 18 " " " S27 E 64 " "
79.75	Set the post cor of sec. 5, 6, 7 & 8.
West	Return Sec. 6 & 7 T. 4. N.R. 87W
11.00	(40.00?) (Set a 1/2 supert from which a) W Oak 1 in air bears N29 1/2 W 30 links arb; tag Wk. 20 " " " S45 E. 70 " "
53.20	Set a Hickory 18 in air in the line.

T. N. 4. N.R. N. 87W 2nd Mer. Ind.

81.60	Intersect the West Boundary of rock. North of the Post cor of Sec. 1 & 12 T. 4 N.R. 97W and set a post for the cor of Sec. 6 & 7 from which N 60° 12' in air bears N 44° E. 45 links out; & a No. 20 " " " S 76° E. 68 " " Sands 2 nd rate Timber Oak.	
North	Return Sec. 5 & 6. T. 4 N.R. 87W	
6.47	To a B. Oak 30 in air in the line.	
31.00	To a Prairie 1500 ch. wide.	
40.00	Set a 7 th la post from which N Oak 10 in air bears N 77° W. 256 links out;	
46.27	To a B. Oak 30 in air. Stands in the line.	
67.97	No. 20 " " " " " "	
70.00	Intersect the N Boundary 356 links East of the Post cor of Sec. 31 & 32 T. 5 N.R. 87W. and set a post for the cor of " 5 & 6. from which N 60° 12' in air bears S 38° E. 50 links out; & a No. 11 " " " S 74° W. 19 " " Sands same as before.	
Meanders of White River, On Right Bank. Beginning in the South Boundary of Sec. 35. thence up stream		
N 20° W	4.00	
N 6° W	10.00	
N 5° E.	3.00	In Sec. 35.
N 47° E.	8.00	
N 78° E.	9.00	at 50' a stream 100 links wide.
S 84° E.	1.50	To the line between Sec. 35 & 36.
S 83° E.	6.00	
S 63° E.	10.00	
S 45° E.	12.00	In Sec. 36.
S 35° E.	15.00	
S 63° E.	7.00	Probably to South Boundary of Sec. 36.
N 53° E.	7.00	

489

T. N. H. N. R. N. 877 2nd (New) India

N 11 W	7.00	
N 64 W	11.00	
N 49 W	10.00	
N 39 W	9.00	
N 13 W	11.00	In Dec. 36.
N 17 E	13.00	
N 47 E	5.00	
N 55 E	22.00	
N 45 E	9.00	
N 57 E	15.75	To the line between Dec. 25 & 36.

N 57 E	5.00	
N 15 E	9.00	
N 5 W	9.00	
N 52 W	9.00	
N 71 W	16.00	
N 41 W	13.00	
N 31 W	13.00	
N 45 W	5.00	
N 18 W	9.00	
N 20 E	8.00	
N 50 E	8.00	
N 88 E	11.00	In Dec. 25.
S 55 E	8.00	
S 29 E	26.00	
S 81 E	5.00	
N 47 E	4.00	
N 29 E	4.00	
N 11 W	2.00	
N 47 W	14.00	
N 30 W	11.00	
N 20 W	5.00	To line between Dec. 24 & 23 S 4 N 18 877

N 5 W	10.00
N 15 E	20.00
N 3 E	11.00

T. N. 4. N. R. N. 8 W. 2nd Mer Ind.^a

N 36 W	9.00	
West	7.00	
S 65 W	4.00	
S 60 W	9.00	
S 80 W	12.00	
N 72 W	11.00	
N 50 W	10.00	
N 25 W	10.00	
N 13 W	6.00	
N 5 W	5.00	
N 5 E	8.00	To the line between Sec. 13 & 24.

From the cor of Sec. 1. S 36. E. 4 & 5. N. thence down stream on the Right Bank in Sec. 1.

S 50 W	16.20	
S 43 W	18.90	
South	10.00	
S 97 E	19.10	
S 15 E	28.00	Cor of Sec. 1 & 12

S 20 E	18.00	
S 9 E	14.90	
S 47 E	30.90	
S 11 E	18.00	
S 57 W	20.00	To line
S 67 W	21.00	
S 45 W	14.00	
West	21.50	
S 26 W	10.60	
S 30 1/2 W	29.50	
S 30 W	23.50	To line between Sec. 13 & 24 opposite W. Oak. Cor of Sec. 13 & 24.

These measures from the North Boundary of Sec. 1. To the Cor of Sec. 13 & 24 were taken before the lines of subdivision were run. As I could find no others I put them in; they may prove that they are correct. Transcribed

Meanders of the Left Bank off White River down stream
Beginning at the 71 Oak which stands for the cor of Lev.
13 & 24 into Left Bank thence down stream.

S 107 N	4.71	
S 27 N	5.63	
S 45 E	14.45	
S 64 E	16.57	
S 62 E	11.00	
N 53 E	7.00	2nd Lev. 24
N 72 E	5.96	
S 81 E	8.00	
S 57 E	5.57	
S 39 E	5.70	
S 19 E	8.40	
S 4 N	21.00	
S 19.7 N	15.13	
S 24 E	2.00	
S 6 E	3.18	To the post cor of Lev. 24 & 25.

S 39 E	15.00	
S 33 N E	7.00	Cut line at 42
S 11 E	7.24	
S 15 N	5.96	Crossing Range line.
S 65 N	7.00	
S 80 N	8.80	
N 65 N	6.76	
N 35 N	31.86	
N 62 N	3.60	
S 60 N	7.95	
S 13 N	9.47	
S 47 E	10.83	
S 36 E	21.63	
S 74 E	20.00	
S 22 E	2.75	at 2.00 ch a kerok 150 links wide.
S 43 E	7.42	
S 13 E	9.55	

T. No. 4. N. R. N. 8th 2nd Mn. Ind.

S 7 th	10.90	
S 36 th	8.50	
S 52 th	35.36.	
S 65 th	21.63	
S 27 th	8.56	
S 4 E.	9.68	
S 36 E.	7.57	
S 54 E.	27.25	
S 1 st E.	7.00	Range line.
S 18 th	6.56	
S 37 th	9.68	
N 79 th	14.00	
N 32 th	15.80	East line at 11.30
N 44 th	13.13	
N 56 th	5.87	
N 77 th	9.33	
S 80 th	7.11	
S 34 th	5.70	
S 8 E.	9.83	
S 37 E.	4.89	To the South Boundary of sec 35

Surveyed by
Lieut. Sullivan. D. Sur.
+ E. W. Tupper & Augustus Stone, D. Sur.

I certify that the foregoing transcript of the field notes of Township N. 4. R. N. 8th 2nd Mn. Indiana has been compared with the original notes in this Office, and found to be correct.

Surveyor General's Office,
Dec^r 19 1847

[Signature]
Sur. General.